European Journal of Pharmacology, 221 (1992) 405–408
© 1992 Elsevier Science Publishers B.V. All rights reserved 0014-2999/92/$05.00

Author index

Abe, K., see Hara, H. (221) 193
Aleixandre, A., Pintado, A. and Puerro, M.
α_2-Adrenoceptor-mediated contractions in the rabbit aorta treated with BAY K 8644 (221) 129
Amano, H., see Mino, N. (221) 77
Angus, J.A., see Deckert, V. (221) 17
Arisawa, M., see Kuwahara, T. (221) 99

Barajas-López, C. and Huizinga, J.D.
Ouabain-induced excitation of colonic smooth muscle due to block of K^+ conductance by intracellular Na^+ ions (221) 51
Barnes, P.J., see Kuo, H.-P. (221) 385
Berdeu, D., see Petit, P. (221) 359
Berthelot, P., see Ong, J. (221) 145
Bhatia, S., see Makujina, S.R. (221) 243
Billings, B., see Duttaroy, A. (221) 211
Blier, P., see Curet, O. (221) 59
Bonagamba, L.G.H., see Machado, B.H. (221) 179
Brabec, V., see Jurásková, V. (221) 107
Brownfield, M.S., see Levy, A.D. (221) 121
Bungardt, E., Buschauer, A., Moser, U., Schunack, W., Lambrecht, G. and Mutschler, E.
Histamine H_1 receptors mediate vasodilation in guinea-pig ileum resistance vessels: characterization with computer-assisted videomicroscopy and new selective agonists (221) 91
Buschauer, A., see Bungardt, E. (221) 91

Calabresi, M., see Salvati, P. (221) 267
Calleja, J.M., see Gil-Longo, J. (221) 1
Campos, M., see Gil-Longo, J. (221) 1
Candido, J., see Duttaroy, A. (221) 211
Chiba, S. and Tsukada, M.
Potent antagonistic action of OPC-31260, a vasopressin V_2 receptor antagonist, on [Arg^8]vasopressin-induced vasoconstriction in isolated simian femoral arteries (221) 393
Cortijo, J., Gonzalez, M., Ortiz, J.L. and Morcillo, E.J.
Effects of Na^+ transport inhibitors on guinea-pig tracheal responses to spasmogens (221) 43
Cowen, P.J., see Gartside, S.E. (221) 27
Crabbe, J.C.
Antagonism of ethanol withdrawal convulsions in Withdrawal Seizure Prone mice by diazepam and abecarnil (221) 85
Curet, O., De Montigny, C. and Blier, P.
Effect of desipramine and amphetamine on noradrenergic neurotransmission: electrophysiological studies in the rat brain (221) 59

D'Amato, M., see Preziosi, P. (221) 343
Debaert, M., see Ong, J. (221) 145
Deckert, V. and Angus, J.A.
Evidence that 5-HT_2 receptors predominantly mediate the contraction of the rat basilar artery to 5-hydroxytryptamine (221) 17
Del Carmine, R., see Preziosi, P. (221) 343
De Montigny, C., see Curet, O. (221) 59
De Vriese, A., see Lefebvre, R.A. (221) 235
Dho, L., see Salvati, P. (221) 267

Diana, M., Pistis, M., Muntoni, A., Rossetti, Z.L. and Gessa, G.
Marked decrease of A10 dopamine neuronal firing during ethanol withdrawal syndrome in rats (221) 403
Douglas, F.L., see Makujina, S.R. (221) 243
Douglas, S.A., Elliott, J.D. and Ohlstein, E.H.
Regional vasodilation to endothelin-1 is mediated by a non-ETA receptor subtype in the anaesthetized rat: effect of BQ-123 on systemic haemodynamic responses (221) 315
Downie, J.W., see Espey, M.J. (221) 167
Duarte, I.D.G. and Ferreira, S.H.
The molecular mechanism of central analgesia induced by morphine or carbachol and the L-arginine-nitric oxide-cGMP pathway (221) 171
Duttaroy, A., Billings, B., Candido, J. and Yoburn, B.C.
Chronic d-amphetamine inhibits opioid receptor antagonist-induced supersensitivity (221) 211
Dyatlova, N., see Jurásková, V. (221) 107

Edvinsson, L., see Potter, E.K. (221) 307
Elayan, I., Gibb, J.W., Hanson, G.R., Foltz, R.L., Lim, H.K. and Johnson, M.
Long-term alteration in the central monoaminergic systems of the rat by 2,4,5-trihydroxyamphetamine but not by 2-hydroxy-4,5-methylenedioxymethamphetamine or 2-hydroxy-4,5-methylenedioxyamphetamine (221) 281
Elliott, J.D., see Douglas, S.A. (221) 315
Ellis, P.M., see Gartside, S.E. (221) 27
Espey, M.J., Downie, J.W. and Fine, A.
Effect of 5-HT receptor and adrenoceptor antagonists on micturition in conscious cats (221) 167

Fernández-Alfonso, M.S., Sánchez-Ferrer, C.F. and Marín, J.
Sodium pump activation by 5-hydroxytryptamine in human placental veins (221) 185
Ferreira, S.H., see Duarte, I.D.G. (221) 171
Fine, A., see Espey, M.J. (221) 167
Flood, J.F., Morley, J.E. and Lanthorn, T.H.
Effect on memory processing by D-cycloserine, an agonist of the NMDA/glycine receptor (221) 249
Flouquet, N., see Ong, J. (221) 145
Foltz, R.L., see Elayan, I. (221) 281
Fragoso-Veloz, J. and Tapia, R.
NMDA receptor antagonists protect against seizures and wet-dog shakes induced by 4-aminopyridine (221) 275
Franco-Cereceda, A. and Lundberg, J.M.
Capsazepine inhibits low pH- and lactic acid-evoked release of calcitonin gene-related peptide from sensory nerves in guinea-pig heart (221) 183

Gähwiler, B.H., see Gerber, U. (221) 401
Gale, K., see Peterson, C.J. (221) 151
Gartside, S.E., Ellis, P.M., Sharp, T. and Cowen, P.J.
Selective 5-HT_{1A} and 5-HT_2 receptor-mediated adrenocorticotropin release in the rat: effect of repeated antidepressant treatments (221) 27

Gerber, U. and Gähwiler, B.H.
4C3HPG (RS-4-carboxy-3-hydroxyphenylglycine), a weak agonist at metabotropic glutamate receptors, occludes the action of trans-ACPD in hippocampus (221) 401
Gessa, G., see Diana, M. (221) 403
Gessa, G.L., see Rossetti, Z.L. (221) 227
Gibb, J.W., see Elayan, I. (221) 281
Gil-Longo, J., Orallo, F., Verde, I., Campos, M. and Calleja, J.M.
Role of the endothelial system in BAY K 8644 enantiomer and nifedipine vasomodulator action in rat aorta (221) 1
Gold, P.E., see Hall, J.L. (221) 365
Gonzalez, M., see Cortijo, J. (221) 43
Goto, S., see Miura, T. (221) 333
Grahame-Smith, D.G., see Newberry, N.R. (221) 157
Grundemar, L. and Högestätt, E.D.
Unmasking the vasoconstrictor response to neuropeptide Y and its interaction with vasodilating agents in vitro (221) 71
Gustafsson, T., see Potter, E.K. (221) 307

Haapalinna, A., see Jäkälä, P. (221) 351
Hall, J.L. and Gold, P.E.
Plasma glucose levels predict the disrupting effects of adrenoceptor antagonists on enhancement of memory storage (221) 365
Hanson, G.R., see Elayan, I. (221) 281
Hara, H., Sukamoto, T., Ohtaka, H., Abe, K., Tatumi, Y., Saito, Y., Suzuki, A. and Tsukamoto, G.
Effects of baicalein and α-tocopherol on lipid peroxidation, free radical scavenging activity and 12-O-tetradecanoylphorbol acetate-induced ear edema (221) 193
Hirose, T., see Inoue, M. (221) 135
Hmaidan, Y., see Rossetti, Z.L. (221) 227
Högestätt, E.D., see Grundemar, L. (221) 71
Holtzman, S.G., see Jones, D.N.C. (221) 161
Howard, J.L., see Pollard, G.T. (221) 297
Huang, H.-C., Jan, T.-R. and Yeh, S.-F.
Inhibitory effect of curcumin, an anti-inflammatory agent, on vascular smooth muscle cell proliferation (221) 381
Hudson, G.M., Marquis, K.L., Stamidis, H. and Young, G.A.
Cholecystokinin octapeptide alters morphine-induced effects on EEG power spectra both quantitatively and qualitatively (221) 217
Huizinga, J.D., see Barajas-López, C. (221) 51

Ikemoto, F., see Mino, N. (221) 77
Inagaki, C., see Inoue, M. (221) 135
Inagaki, N., see Miura, T. (221) 333
Inoue, M., Hirose, T., Yasukura, T. and Inagaki, C.
Ethacrynic acid-induced convulsions and brain neurotransmitters in mice (221) 135
Ishii, Y. and Sumi, T.
Amitriptyline inhibits striatal efflux of neurotransmitters via blockade of voltage-dependent Na^+ channels (221) 377
Ishikawa, K., see Mino, N. (221) 77

Jackson, D.M., Pollard, C.E. and Roberts, S.M.
The effect of nedocromil sodium on the isolated rabbit vagus nerve (221) 175
Jackson, H.C. and Nutt, D.J.
Effects of benzodiazepine receptor inverse agonists on locomotor activity and exploration in mice (221) 199
Jäkälä, P., Viitamaa, T., Sirviö, J., Riekkinen, Jr., P., Salonen, J., Haapalinna, A., Virtanen, R. and Riekkinen, P.
Continuous α_2-adrenoceptor blockade by atipamezole decreases neocortical high-voltage spindle activity in rats (221) 351
Jan, T.-R., see Huang, H.-C. (221) 381
Johnson, M., see Elayan, I. (221) 281
Jones, D.N.C. and Holtzman, S.G.
Effects of naloxone infusion upon spontaneous and amphetamine-induced activity (221) 161
Jurásková, V., Dyatlova, N. and Brabec, V.
Interferon inducer, polyriboguanylic · polyribocytidylic acid, inhibits experimental hepatic metastases in mice (221) 107

Karaki, H., see Sakata, K. (221) 9
Kerr, D.I.B., see Ong, J. (221) 145
Kobayashi, M., see Mino, N. (221) 77
Koda, A., see Miura, T. (221) 333
Kodama, K., see Shibata, S. (221) 113
Kodama, K., see Shibata, S. (221) 255
Kogo, H., Takasaki, K., Takeo, S., Watanabe, G., Taya, K. and Sasamoto, S.
Indomethacin inhibits the secretion of inhibin and oestradiol-17β stimulated by pregnant mare serum gonadotrophin in the immature female rat (221) 289
Kojima, C., see Satoh, M. (221) 35
Kolesnikov, Y.A., Pick, C.G. and Pasternak, G.W.
N^G-Nitro-L-arginine prevents morphine tolerance (221) 399
Kudoh, T., see Kuwahara, T. (221) 99
Kuo, H.-P., Liu, S. and Barnes, P.J.
The effect of endogenous nitric oxide on neurogenic plasma exudation in guinea-pig airways (221) 385
Kuwahara, T., Kudoh, T., Nagase, H., Takamiya, M., Nakano, A., Ohtsuka, T., Yoshizaki, H. and Arisawa, M.
Tetronothiodin, a novel CCK_B receptor ligand, antagonizes cholecystokinin-induced Ca^{2+} mobilization in a pituitary cell line (221) 99

Lai, C.-S., see Yen, M.-H. (221) 261
Lambrecht, G., see Bungardt, E. (221) 91
Lanthorn, T.H., see Flood, J.F. (221) 249
Lee, N.M., see Takemori, A.E. (221) 223
Lefebvre, R.A., De Vriese, A. and Smits, G.J.M.
Influence of vasoactive intestinal polypeptide and N^G-nitro-L-arginine methyl ester on cholinergic neurotransmission in the rat gastric fundus (221) 235
Leslie, R.A., see Newberry, N.R. (221) 157
Levy, A.D., Li, Q., Sanz, M.C.A., Rittenhouse, P.A., Brownfield, M.S. and Van de Kar, L.D.
Repeated cocaine modifies the neuroendocrine responses to the 5-HT_{1C}/5-HT_2 receptor agonist DOI (221) 121
Li, Q., see Levy, A.D. (221) 121
Lim, H.K., see Elayan, I. (221) 281
Liu, S., see Kuo, H.-P. (221) 385
Lodge, D., see Palmer, A.J. (221) 205
Loh, H.H., see Takemori, A.E. (221) 223
Loubatières-Mariani, M.-M., see Petit, P. (221) 359
Lundberg, J.M., see Franco-Cereceda, A. (221) 183

Machado, B.H. and Bonagamba, L.G.H.
Microinjection of S-nitrosocysteine into the nucleus tractus solitarii of conscious rats decreases arterial pressure but L-glutamate does not (221) 179
Makujina, S.R., Sabouni, M.H., Bhatia, S., Douglas, F.L. and Mustafa, S.J.
Vasodilatory effects of adenosine A_2 receptor agonists CGS 21680 and CGS 22492 in human vasculature (221) 243
Manteghetti, M., see Petit, P. (221) 359
Marín, J., see Fernández-Alfonso, M.S. (221) 185
Marquis, K.L., see Hudson, G.M. (221) 217
Martire, M., see Preziosi, P. (221) 343
Mason, S.L. and Reynolds, G.P.
Clozapine has sub-micromolar affinity for 5-HT_{1A} receptors in human brain tissue (221) 397

Mino, N., Kobayashi, M., Nakajima, A., Amano, H., Shimamoto, K., Ishikawa, K., Watanabe, K., Nishikibe, M., Yano, M. and Ikemoto, F.
Protective effect of a selective endothelin receptor antagonist, BQ-123, in ischemic acute renal failure in rats (221) 77
Miura, T., Inagaki, N., Goto, S., Yoshida, K., Nagai, H. and Koda, A.
Leukotriene receptors in the skin of rats differ from those of mouse skin or rat stomach strip (221) 333
Morcillo, E.J., see Cortijo, J. (221) 43
Morley, J.E., see Flood, J.F. (221) 249
Moser, U., see Bungardt, E. (221) 91
Muntoni, A., see Diana, M. (221) 403
Mustafa, S.J., see Makujina, S.R. (221) 243
Mutschler, E., see Bungardt, E. (221) 91

Nagai, H., see Miura, T. (221) 333
Nagase, H., see Kuwahara, T. (221) 99
Nakajima, A., see Mino, N. (221) 77
Nakano, A., see Kuwahara, T. (221) 99
Nanry, K.P., see Pollard, G.T. (221) 297
Navarra, P., see Preziosi, P. (221) 343
Newberry, N.R., Watkins, C.J., Reynolds, D.J.M., Leslie, R.A. and Grahame-Smith, D.G.
Pharmacology of the 5-hydroxytryptamine-induced depolarization of the ferret vagus nerve in vitro (221) 157
Niimi, N., Noso, N. and Yamamoto, S.
The effect of histamine on cultured endothelial cells. A study of the mechanism of increased vascular permeability (221) 325
Nishikibe, M., see Mino, N. (221) 77
Noso, N., see Niimi, N. (221) 325
Nutt, D.J., see Jackson, H.C. (221) 199

Ohlstein, E.H., see Douglas, S.A. (221) 315
Ohtaka, H., see Hara, H. (221) 193
Ohtsuka, T., see Kuwahara, T. (221) 99
Ong, J., Kerr, D.I.B., Berthelot, P., Vaccher, C., Flouquet, N. and Debaert, M.
Differing actions of β-(2-thienyl)-γ-aminobutyric acid in central and peripheral preparations (221) 145
Orallo, F., see Gil-Longo, J. (221) 1
Ortiz, J.L., see Cortijo, J. (221) 43

Palmer, A.J., Zeman, S. and Lodge, D.
Methohexitone antagonises kainate and epileptiform activity in rat neocortical slices (221) 205
Pasternak, G.W., see Kolesnikov, Y.A. (221) 399
Patrono, C., see Salvati, P. (221) 267
Pazos, A., see Peterson, C.J. (221) 151
Peričić, D., see Tvrdeić, A. (221) 139
Peterson, C.J., Vinayak, S., Pazos, A. and Gale, K.
A rodent model of focally evoked self-sustaining status epilepticus (221) 151
Petit, P., Manteghetti, M., Berdeu, D., Ribes, G. and Loubatières-Mariani, M.-M.
Effects of a peripheral-type benzodiazepine on glucose-induced insulin secretion (221) 359
Pick, C.G., see Kolesnikov, Y.A. (221) 399
Pintado, A., see Aleixandre, A. (221) 129
Pistis, M., see Diana, M. (221) 403
Pollard, C.E., see Jackson, D.M. (221) 175
Pollard, G.T., Nanry, K.P. and Howard, J.L.
Effects of tandospirone in three behavioral tests for anxiolytics (221) 297
Potter, E.K., Edvinsson, L. and Gustafsson, T.
Antagonism of pre- and postjunctional responses to neuropeptide Y and sympathetic stimulation by D-myo-inositol-1,2,6-trisphosphate in the anaesthetised dog (221) 307
Pozzoli, G., see Preziosi, P. (221) 343
Preziosi, P., D'Amato, M., Del Carmine, R., Martire, M., Pozzoli, G. and Navarra, P.
The effects of 5-HT_3 receptor antagonists on cisplatin-induced emesis in the pigeon (221) 343
Puerro, M., see Aleixandre, A. (221) 129

Reynolds, D.J.M., see Newberry, N.R. (221) 157
Reynolds, G.P., see Mason, S.L. (221) 397
Ribes, G., see Petit, P. (221) 359
Riekkinen, Jr., P., see Jäkälä, P. (221) 351
Riekkinen, P., see Jäkälä, P. (221) 351
Rittenhouse, P.A., see Levy, A.D. (221) 121
Roberts, S.M., see Jackson, D.M. (221) 175
Rosa, B., see Salvati, P. (221) 267
Rossetti, Z.L., Hmaidan, Y. and Gessa, G.L.
Marked inhibition of mesolimbic dopamine release: a common feature of ethanol, morphine, cocaine and amphetamine abstinence in rats (221) 227
Rossetti, Z.L., see Diana, M. (221) 403

Sabouni, M.H., see Makujina, S.R. (221) 243
Saito, Y., see Hara, H. (221) 193
Sakata, K. and Karaki, H.
Effects of endothelin on cytosolic Ca^{2+} level and mechanical activity in rat uterine smooth muscle (221) 9
Salonen, J., see Jäkälä, P. (221) 351
Salvati, P., Dho, L., Calabresi, M., Rosa, B. and Patrono, C.
Evidence for a direct vasoconstrictor effect of big endothelin-1 in the rat kidney (221) 267
Sánchez-Ferrer, C.F., see Fernández-Alfonso, M.S. (221) 185
Sanz, M.C.A., see Levy, A.D. (221) 121
Sasamoto, S., see Kogo, H. (221) 289
Satoh, M., Kojima, C. and Takayanagi, I.
Characterization of α_1-adrenoceptor subtypes labeled by [^{3}H]prazosin in single cells prepared from rabbit thoracic aorta (221) 35
Schunack, W., see Bungardt, E. (221) 91
Sharp, T., see Gartside, S.E. (221) 27
Shibata, S., Kodama, K., Tominaga, K., Tanaka, T. and Watanabe, S.
Effect of muscarinic cholinergic drugs on ischemia-induced decreases in glucose uptake and CA1 field potentials in rat hippocampus slices (221) 113
Shibata, S., Kodama, K., Tominaga, K., Ueki, S. and Watanabe, S.
Assessment of the role of adrenoceptor function in ischemia-induced impairment of 2-deoxyglucose uptake and CA1 field potential in rat hippocampal slices (221) 255
Shimamoto, K., see Mino, N. (221) 77
Sirviö, J., see Jäkälä, P. (221) 351
Smits, G.J.M., see Lefebvre, R.A. (221) 235
Stamidis, H., see Hudson, G.M. (221) 217
Sukamoto, T., see Hara, H. (221) 193
Sumi, T., see Ishii, Y. (221) 377
Suzuki, A., see Hara, H. (221) 193

Takamiya, M., see Kuwahara, T. (221) 99
Takasaki, K., see Kogo, H. (221) 289
Takayanagi, I., see Satoh, M. (221) 35
Takemori, A.E., Loh, H.H. and Lee, N.M.
Suppression by dynorphin A-(1–13) of the expression of opiate withdrawal and tolerance in mice (221) 223
Takeo, S., see Kogo, H. (221) 289
Tanaka, T., see Shibata, S. (221) 113
Tapia, R., see Fragoso-Veloz, J. (221) 275
Tatumi, Y., see Hara, H. (221) 193
Taya, K., see Kogo, H. (221) 289
Tominaga, K., see Shibata, S. (221) 113

Tominaga, K., see Shibata, S. (221) 255
Tsukada, M., see Chiba, S. (221) 393
Tsukamoto, G., see Hara, H. (221) 193
Tvrdeić, A. and Peričić, D.
Dihydroergotoxine modulation of the $GABA_A$ receptor-associated Cl^- ionophore in mouse brain (221) 139

Ueki, S., see Shibata, S. (221) 255

Vaccher, C., see Ong, J. (221) 145
Van de Kar, L.D., see Levy, A.D. (221) 121
Verde, I., see Gil-Longo, J. (221) 1
Viitamaa, T., see Jäkälä, P. (221) 351
Vinayak, S., see Peterson, C.J. (221) 151
Virtanen, R., see Jäkälä, P. (221) 351

Wagner, G., see Wessler, I. (221) 371
Walczok, A., see Wessler, I. (221) 371
Watanabe, G., see Kogo, H. (221) 289
Watanabe, K., see Mino, N. (221) 77
Watanabe, S., see Shibata, S. (221) 113
Watanabe, S., see Shibata, S. (221) 255
Watkins, C.J., see Newberry, N.R. (221) 157
Wessler, I., Wagner, G. and Walczok, A.
Suppression by cholinesterase inhibition of a Ca^{2+}-independent efflux of [^{3}H]acetylcholine from the neuromuscular junction of the isolated rat diaphragm (221) 371

Yadid, G., Youdim, M.B.H. and Zinder, O.
Preferential release of epinephrine by glycine from adrenal chromaffin cells (221) 389
Yamamoto, S., see Niimi, N. (221) 325
Yano, M., see Mino, N. (221) 77
Yasukura, T., see Inoue, M. (221) 135
Yeh, S.-F., see Huang, H.-C. (221) 381
Yen, M.-H. and Lai, C.-S.
Mechanism of contractile responses to bradykinin in canine basilar arteries (221) 261
Yoburn, B.C., see Duttaroy, A. (221) 211
Yoshida, K., see Miura, T. (221) 333
Yoshizaki, H., see Kuwahara, T. (221) 99
Youdim, M.B.H., see Yadid, G. (221) 389
Young, G.A., see Hudson, G.M. (221) 217

Zeman, S., see Palmer, A.J. (221) 205
Zinder, O., see Yadid, G. (221) 389

European Journal of Pharmacology, 221 (1992) 409–418
© 1992 Elsevier Science Publishers B.V. All rights reserved 0014-2999/92/$05.00

Key word index

Abecarnil
Withdrawal seizure prone mouse (WSP); Ethanol withdrawal; Handling-induced convulsions; Diazepam; Anticonvulsant effects; β-Carbolines; (Genetic animal model) (Crabbe, J.C. (221) 85)

Abstinence syndrome
Ethanol; Morphine; Cocaine; Amphetamine; MK-801; SL 82.0715; Microdialysis (Rossetti, Z.L. (221) 227)

Acetylcholine
Trachea (guinea-pig); Histamine; 5-HT (5-hydroxytryptamine, serotonin); Amiloride; Ouabain; K^+-free solution (Cortijo, J. (221) 43)

Neuropeptide Y (NPY); NPY receptor subtypes; Endothelium; Vasoconstriction; Vasodilatation (Grundemar, L. (221) 71)

Epilepsy; 5-HT (5-hydroxytryptamine, serotonin); GABA (γ-aminobutyric acid); Cl^- transport; Brain; (Mouse) (Inoue, M. (221) 135)

Chromaffin cells; Epinephrine; Norepinephrine; Glycine (Yadid, G. (221) 389)

Acetylcholine carrier
Phrenic nerve; K^+-stimulated Ca^{2+}-independent efflux of [^{3}H]acetylcholine; Cholinesterase inhibition; Vesamicol (Wessler, I. (221) 371)

ACTH (adrenocorticotropic hormone)
Cocaine; 5-HT (5-hydroxytryptamine, serotonin); Prolactin; Oxytocin; Renin (Levy, A.D. (221) 121)

ACTH release
5-HT (5-hydroxytryptamine, serotonin); Tricyclic antidepressants; Lithium; Electroconvulsive shock (Gartside, S.E. (221) 27)

Actin filaments
Endothelial cells; Histamine; Histamine H_1 receptors; Peripheral bands; Permeability (Niimi, N. (221) 325)

Adenosine receptors
CGS 21680; CGS 22492; Smooth muscle (vascular); Coronary artery (human); Mammary artery (internal) (Makujina, S.R. (221) 243)

Adrenoceptors
Histamine receptor subtypes; Histamine receptor agonists (H_1- and H_2-selective); Impromidine; Smooth muscle (arteriolar); Submucosal plexus (guinea-pig); Videomicroscopy; Vas deferens (rat); (Spontaneous activity) (Bungardt, E. (221) 91)

α_1-Adrenoceptors
Thoracic aorta; (Single cell) (Satoh, M. (221) 35)

Aorta (rabbit); α_2-Adrenoceptors; BAY k 8644; Ca^{2+} channels (Aleixandre, A. (221) 129)

α_2-Adrenoceptors
Aorta (rabbit); α_1-Adrenoceptors; BAY k 8644; Ca^{2+} channels (Aleixandre, A. (221) 129)

Atipamezole; Guanfacine; Mydriasis; Neocortical high-voltage spindles; (Rat); (Subchronic treatment) (Jäkälä, P. (221) 351)

Aging
D-Cycloserine; Glycine; Memory; NMDA receptors; Senescence; (Mouse) (Flood, J.F. (221) 249)

Airways
Nitric oxide (NO); Neurogenic inflammation; NANC nerves; Plasma exudation; Vagus nerve (Kuo, H.-P. (221) 385)

Amiloride
Trachea (guinea-pig); Acetylcholine; Histamine; 5-HT (5-hydroxytryptamine, serotonin); Ouabain; K^+-free solution (Cortijo, J. (221) 43)

Amino acids
Amitriptyline; Na^+ channels; Dopamine; Veratridine; Striatal slices (Ishii, Y. (221) 377)

4-Aminopyridine
NMDA receptors; Convulsions; Wet-dog shakes (Fragoso-Veloz, J. (221) 275)

Amitriptyline
Na^+ channels; Dopamine; Amino acids; Veratridine; Striatal slices (Ishii, Y. (221) 377)

Amphetamine
Norepinephrine; Desipramine; Dorsal hippocampus; Locus coeruleus (Curet, O. (221) 59)

Ethanol; Morphine; Cocaine; MK-801; SL 82.0715; Microdialysis; Abstinence syndrome (Rossetti, Z.L. (221) 227)

d-Amphetamine
Supersensitivity; Morphine; Opioid receptor regulation; Naltrexone; Analgesia; Upregulation (Duttaroy, A. (221) 211)

Amphetamines
Dopamine; MDMA (3,4-methylenedioxymethamphetamine); Norepinephrine; 5-HT (5-hydroxytryptamine, serotonin); Neurotoxicity (Elayan, I. (221) 281)

Analgesia
Morphine; Carbachol; Nitric oxide (NO); cGMP (Duarte, I.D.G. (221) 171)

Supersensitivity; Morphine; Opioid receptor regulation; Naltrexone; d-Amphetamine; Upregulation (Duttaroy, A. (221) 211)

Anticonvulsant effects
Withdrawal seizure prone mouse (WSP); Ethanol withdrawal; Handling-induced convulsions; Abecarnil; Diazepam; β-Carbolines; (Genetic animal model) (Crabbe, J.C. (221) 85)

Antiproliferative effect
Curcumin; Mononuclear cells; Smooth muscle cells (Huang, H.-C. (221) 381)

Antipsychotic drugs
Clozapine; 5-HT_{1A} receptors (Mason, S.L. (221) 397)

Antitumour activity
Poly(rG)·Poly(rC); Poly(rI)·Poly(rC); Interferon inducer; Liver colony assay; Survival (Jurásková, V. (221) 107)

Anxiolytics
Tandospirone; Buspirone; Ipsapirone; Azapirones; Chlordiazepoxide; Conflict; Punishment; Cork gnawing; (Pigeon); (Rat) (Pollard, G.T. (221) 297)

Aorta (rabbit)
α_1-Adrenoceptors; α_2-Adrenoceptors; BAY k 8644; Ca^{2+} channels (Aleixandre, A. (221) 129)

Aorta (rat)
Endothelium; BAY k 8644 enantiomers; Nifedipine; $^{45}Ca^{2+}$ influx (Gil-Longo, J. (221) 1)

Atipamezole
α_2-Adrenoceptors; Guanfacine; Mydriasis; Neocortical high-voltage spindles; (Rat); (Subchronic treatment) (Jäkälä, P. (221) 351)

Azapirones
Tandospirone; Buspirone; Ipsapirone; Chlordiazepoxide; Anxiolytics; Conflict; Punishment; Cork gnawing; (Pigeon); (Rat) (Pollard, G.T. (221) 297)

Baclofen
β-(2-Thienyl)-GABA; Ileum (guinea-pig, isolated); Neocortical slices (rat); 2-Hydroxysaclofen (Ong, J. (221) 145)

Baicalein
Ear edema; Free radical; Lipid peroxidation; α-Tocopherol (Hara, H. (221) 193)

Barbiturates
Glutamate receptors; Kainate; Methohexitone; Epileptiform activity (Palmer, A.J. (221) 205)

Barbiturate sleeping
Dihydroergotoxine; [^{3}H]TBOB (t-[^{3}H]butylbicycloorthobenzoate) binding; GABA (γ-aminobutyric acid) shift; Picrotoxin-induced convulsions (Tvrdeić, A. (221) 139)

Baroreceptor reflex
S-Nitrosothiols; Excitatory amino acid; Cardiovascular regulation; EDRF (endothelium-derived relaxing factor); Nitric oxide (NO) (Machado, B.H. (221) 179)

Basilar artery (canine)
Bradykinin; Endothelium (Yen, M.-H. (221) 261)

Basilar artery (rat)
Myograph; 5-HT (5-hydroxytryptamine, serotonin); 5-HT receptor classification; Ketanserin; Ergometrine (Deckert, V. (221) 17)

BAY k 8644
Aorta (rabbit); α_1-Adrenoceptors; α_2-Adrenoceptors; Ca^{2+} channels (Aleixandre, A. (221) 129)

BAY k 8644 enantiomers
Aorta (rat); Endothelium; Nifedipine; $^{45}Ca^{2+}$ influx (Gil-Longo, J. (221) 1)

Benzodiazepine receptor agonists (peripheral-type)
Insulin secretion; Benzodiazepines (Petit, P. (221) 359)

Benzodiazepine receptors
Locomotor activity; Exploratory behaviour; Inverse agonists (Jackson, H.C. (221) 199)

Benzodiazepines
Insulin secretion; Benzodiazepine receptor agonists (peripheral-type) (Petit, P. (221) 359)

Bicuculline
GABA (γ-aminobutyric acid); Diazepam; Lithium chloride; Pilocarpine; Seizures (Peterson, C.J. (221) 151)

BQ-123
Endothelin-1; Endothelin receptor subtypes; Regional haemodynamics; Vasodilatation; (Anaesthetized rat) (Douglas, S.A. (221) 315)

Bradykinin
Endothelium; Basilar artery (canine) (Yen, M.-H. (221) 261)

Brain
Epilepsy; 5-HT (5-hydroxytryptamine, serotonin); GABA (γ-aminobutyric acid); Acetylcholine; Cl^- transport; (Mouse) (Inoue, M. (221) 135)

Buspirone
Tandospirone; Ipsapirone; Azapirones; Chlordiazepoxide; Anxiolytics; Conflict; Punishment; Cork gnawing; (Pigeon); (Rat) (Pollard, G.T. (221) 297)

Ca^{2+}
Endothelin; Endothelin receptor antagonists; Ischemic acute renal failure; (Rat) (Mino, N. (221) 77)

Ca^{2+} channels
Smooth muscle (uterus); Ca^{2+} levels (cytosolic); Endothelins; (Rat) (Sakata, K. (221) 9)

Aorta (rabbit); α_1-Adrenoceptors; α_2-Adrenoceptors; BAY k 8644 (Aleixandre, A. (221) 129)

Ca^{2+} (cytosolic)
Tetronothiodin; CCK_B receptor antagonists; GH3 cells; Fura-2; [^{125}I]CCK-8 binding (Kuwahara, T. (221) 99)

CA1 field potential
Catecholamines; Hypoxia/hypoglycemia; 2-Deoxyglucose; Ischemia; Hippocampus; (In vitro) (Shibata, S. (221) 255)

CA1 field potentials
Hypoxia/hypoglycemia; Cholinergic drugs; 2-Deoxyglucose uptake; Hippocampus; (In vitro) (Shibata, S. (221) 113)

$^{45}Ca^{2+}$ influx
Aorta (rat); Endothelium; BAY k 8644 enantiomers; Nifedipine (Gil-Longo, J. (221) 1)

Ca^{2+} levels (cytosolic)
Smooth muscle (uterus); Ca^{2+} channels; Endothelins; (Rat) (Sakata, K. (221) 9)

Capsazepine
CGRP (calcitonin gene-related peptide); Cardiac nerves (Franco-Cereceda, A. (221) 183)

Carbachol
Morphine; Analgesia; Nitric oxide (NO); cGMP (Duarte, I.D.G. (221) 171)

β-Carbolines
Withdrawal seizure prone mouse (WSP); Ethanol withdrawal; Handling-induced convulsions; Abecarnil; Diazepam; Anticonvulsant effects; (Genetic animal model) (Crabbe, J.C. (221) 85)

Cardiac nerves
CGRP (calcitonin gene-related peptide); Capsazepine (Franco-Cereceda, A. (221) 183)

Cardiovascular regulation
S-Nitrosothiols; Excitatory amino acid; Baroreceptor reflex; EDRF (endothelium-derived relaxing factor); Nitric oxide (NO) (Machado, B.H. (221) 179)

Catecholamines
Hypoxia/hypoglycemia; 2-Deoxyglucose; Ischemia; CA1 field potential; Hippocampus; (In vitro) (Shibata, S. (221) 255)

[^{125}I]CCK-8 binding
Tetronothiodin; CCK_B receptor antagonists; GH3 cells; Ca^{2+} (cytosolic); Fura-2 (Kuwahara, T. (221) 99)

CCK_B receptor antagonists
Tetronothiodin; GH3 cells; Ca^{2+} (cytosolic); Fura-2; [^{125}I]CCK-8 binding (Kuwahara, T. (221) 99)

CGRP (calcitonin gene-related peptide)
Capsazepine; Cardiac nerves (Franco-Cereceda, A. (221) 183)

CGS 21680
Adenosine receptors; CGS 22492; Smooth muscle (vascular); Coronary artery (human); Mammary artery (internal) (Makujina, S.R. (221) 243)

CGS 22492
Adenosine receptors; CGS 21680; Smooth muscle (vascular); Coronary artery (human); Mammary artery (internal) (Makujina, S.R. (221) 243)

Chlordiazepoxide
Tandospirone; Buspirone; Ipsapirone; Azapirones; Anxiolytics; Conflict; Punishment; Cork gnawing; (Pigeon); (Rat) (Pollard, G.T. (221) 297)

Cholecystokinin (CCK)
Morphine; EEG power spectra (Hudson, G.M. (221) 217)

Cholinergic drugs
Hypoxia/hypoglycemia; 2-Deoxyglucose uptake; Hippocampus; CA1 field potentials; (In vitro) (Shibata, S. (221) 113)

Cholinergic neurotransmission
Gastric fundus (rat); VIP (vasoactive intestinal polypeptide); Nitric oxide (NO) (Lefebvre, R.A. (221) 235)

Cholinesterase inhibition
Phrenic nerve; K^+-stimulated Ca^{2+}-independent efflux of [^{3}H]acetylcholine; Vesamicol; Acetylcholine carrier (Wessler, I. (221) 371)

Chromaffin cells
Epinephrine; Norepinephrine; Acetylcholine; Glycine (Yadid, G. (221) 389)

Cisplatin
5-HT receptors; $5\text{-}HT_3$ receptor antagonists; $5\text{-}HT_3$ receptor agonists; Emesis; (Pigeon) (Preziosi, P. (221) 343)

Cl^- channels
Vagus nerve; Nedocromil sodium; DIDS (4,4′-diisothiocyanostilbene-2,2′-disulphonic acid) (Jackson, D.M. (221) 175)

Clozapine
$5\text{-}HT_{1A}$ receptors; Antipsychotic drugs (Mason, S.L. (221) 397)

Cl^- transport
Epilepsy; 5-HT (5-hydroxytryptamine, serotonin); GABA (γ-aminobutyric acid); Acetylcholine; Brain; (Mouse) (Inoue, M. (221) 135)

Cocaine
5-HT (5-hydroxytryptamine, serotonin); ACTH (adrenocorticotropic hormone); Prolactin; Oxytocin; Renin (Levy, A.D. (221) 121)

Ethanol; Morphine; Amphetamine; MK-801; SL 82.0715; Microdialysis; Abstinence syndrome (Rossetti, Z.L. (221) 227)

Colonic motility
Na^+ pump; Na^+/K^+ pump; Membrane potential; Smooth muscle (Barajas-López, C. (221) 51)

Conflict
Tandospirone; Buspirone; Ipsapirone; Azapirones; Chlordiazepoxide; Anxiolytics; Punishment; Cork gnawing; (Pigeon); (Rat) (Pollard, G.T. (221) 297)

Convulsions
4-Aminopyridine; NMDA receptors; Wet-dog shakes (Fragoso-Veloz, J. (221) 275)

Cork gnawing
Tandospirone; Buspirone; Ipsapirone; Azapirones; Chlordiazepoxide; Anxiolytics; Conflict; Punishment; (Pigeon); (Rat) (Pollard, G.T. (221) 297)

Coronary artery (human)
Adenosine receptors; CGS 21680; CGS 22492; Smooth muscle (vascular); Mammary artery (internal) (Makujina, S.R. (221) 243)

Curcumin
Antiproliferative effect; Mononuclear cells; Smooth muscle cells (Huang, H.-C. (221) 381)

Cutaneous anaphylaxis (passive)
Cysteinyl-leukotriene; Cysteinyl-leukotriene receptor antagonists; (Rat); (Mouse) (Miura, T. (221) 333)

D-Cycloserine
Aging; Glycine; Memory; NMDA receptors; Senescence; (Mouse) (Flood, J.F. (221) 249)

Cysteinyl-leukotriene
Cysteinyl-leukotriene receptor antagonists; Cutaneous anaphylaxis (passive); (Rat); (Mouse) (Miura, T. (221) 333)

Cysteinyl-leukotriene receptor antagonists
Cysteinyl-leukotriene; Cutaneous anaphylaxis (passive); (Rat); (Mouse) (Miura, T. (221) 333)

D-amphetamine
Naloxone infusion (continuous); Locomotor activity; Opioids; Dopamine (Rat) (Jones, D.N.C. (221) 161)

2-Deoxyglucose
Catecholamines; Hypoxia/hypoglycemia; Ischemia; CA1 field potential; Hippocampus; (In vitro) (Shibata, S. (221) 255)

2-Deoxyglucose uptake
Hypoxia/hypoglycemia; Cholinergic drugs; Hippocampus; CA1 field potentials; (In vitro) (Shibata, S. (221) 113)

Desipramine
Norepinephrine; Amphetamine; Dorsal hippocampus; Locus coeruleus (Curet, O. (221) 59)

Diazepam
Withdrawal seizure prone mouse (WSP); Ethanol withdrawal; Handling-induced convulsions; Abecarnil; Anticonvulsant effects; β-Carbolines; (Genetic animal model) (Crabbe, J.C. (221) 85)

GABA (γ-aminobutyric acid); Bicuculline; Lithium chloride; Pilocarpine; Seizures (Peterson, C.J. (221) 151)

DIDS (4,4′-diisothiocyanostilbene-2,2′-disulphonic acid)
Vagus nerve; Nedocromil sodium; Cl^- channels (Jackson, D.M. (221) 175)

Dihydroergotoxine
[^{3}H]TBOB (t-[^{3}H]butylbicycloorthobenzoate) binding; GABA (γ-aminobutyric acid) shift; Barbiturate sleeping; Picrotoxin-induced convulsions (Tvrdeić, A. (221) 139)

Dopamine
Amphetamines; MDMA (3,4-methylenedioxymethamphetamine); Norepinephrine; 5-HT (5-hydroxytryptamine, serotonin); Neurotoxicity (Elayan, I. (221) 281)

Amitriptyline; Na^+ channels; Amino acids; Veratridine; Striatal slices (Ishii, Y. (221) 377)

Dopamine neurons
Ethanol; Withdrawal syndrome (Diana, M. (221) 403)

Dopamine (Rat)
Naloxone infusion (continuous); D-amphetamine; Locomotor activity; Opioids (Jones, D.N.C. (221) 161)

Doppler shift technique
Kidney (isolated, perfused); Renal vascular resistance; Metalloproteases; Phosphoramidon; (Rat) (Salvati, P. (221) 267)

Dorsal hippocampus
Norepinephrine; Desipramine; Amphetamine; Locus coeruleus (Curet, O. (221) 59)

Dynorphin A-(1–13)
Opiate withdrawal; Opiate tolerance; Morphine (Takemori, A.E. (221) 223)

Ear edema
Baicalein; Free radical; Lipid peroxidation; α-Tocopherol (Hara, H. (221) 193)

EDRF (endothelium-derived relaxing factor)
S-Nitrosothiols; Excitatory amino acid; Baroreceptor reflex; Cardiovascular regulation; Nitric oxide (NO) (Machado, B.H. (221) 179)

EEG power spectra
Cholecystokinin (CCK); Morphine (Hudson, G.M. (221) 217)

Electroconvulsive shock
5-HT (5-hydroxytryptamine, serotonin); ACTH release; Tricyclic antidepressants; Lithium (Gartside, S.E. (221) 27)

Emesis
Vagus nerve; 5-HT (5-hydroxytryptamine, serotonin); 5-HT_3 receptors; (Ferret) (Newberry, N.R. (221) 157)

5-HT receptors; 5-HT_3 receptor antagonists; 5-HT_3 receptor agonists; Cisplatin; (Pigeon) (Preziosi, P. (221) 343)

Endothelial cells
Histamine; Histamine H_1 receptors; Actin filaments; Peripheral bands; Permeability (Niimi, N. (221) 325)

Endothelin
Endothelin receptor antagonists; Ischemic acute renal failure; Ca^{2+}; (Rat) (Mino, N. (221) 77)

Endothelin-1
BQ-123; Endothelin receptor subtypes; Regional haemodynamics; Vasodilatation; (Anaesthetized rat) (Douglas, S.A. (221) 315)

Endothelin receptor antagonists
Endothelin; Ischemic acute renal failure; Ca^{2+}; (Rat) (Mino, N. (221) 77)

Endothelin receptor subtypes
Endothelin-1; BQ-123; Regional haemodynamics; Vasodilatation; (Anaesthetized rat) (Douglas, S.A. (221) 315)

Endothelins
Smooth muscle (uterus); Ca^{2+} levels (cytosolic); Ca^{2+} channels; (Rat) (Sakata, K. (221) 9)

Endothelium
Aorta (rat); BAY k 8644 enantiomers; Nifedipine; $^{45}Ca^{2+}$ influx (Gil-Longo, J. (221) 1)

Neuropeptide Y (NPY); NPY receptor subtypes; Acetylcholine; Vasoconstriction; Vasodilatation (Grundemar, L. (221) 71)

Bradykinin; Basilar artery (canine) (Yen, M.-H. (221) 261)

Epilepsy
5-HT (5-hydroxytryptamine, serotonin); GABA (γ-aminobutyric acid); Acetylcholine; Cl^- transport; Brain; (Mouse) (Inoue, M. (221) 135)

Epileptiform activity
Glutamate receptors; Kainate; Barbiturates; Methohexitone (Palmer, A.J. (221) 205)

Epinephrine
Glucose; Memory; Propranolol; Phenoxybenzamine; Footshock (Hall, J.L. (221) 365)

Chromaffin cells; Norepinephrine; Acetylcholine; Glycine (Yadid, G. (221) 389)

Ergometrine
Basilar artery (rat); Myograph; 5-HT (5-hydroxytryptamine, serotonin); 5-HT receptor classification; Ketanserin (Deckert, V. (221) 17)

Ethanol
Morphine; Cocaine; Amphetamine; MK-801; SL 82.0715; Microdialysis; Abstinence syndrome (Rossetti, Z.L. (221) 227)

Dopamine neurons; Withdrawal syndrome (Diana, M. (221) 403)

Ethanol withdrawal
Withdrawal seizure prone mouse (WSP); Handling-induced convulsions; Abecarnil; Diazepam; Anticonvulsant effects; β-Carbolines; (Genetic animal model) (Crabbe, J.C. (221) 85)

Excitatory amino acid
S-Nitrosothiols; Baroreceptor reflex; Cardiovascular regulation; EDRF (endothelium-derived relaxing factor); Nitric oxide (NO) (Machado, B.H. (221) 179)

Exploratory behaviour
Benzodiazepine receptors; Locomotor activity; Inverse agonists (Jackson, H.C. (221) 199)

Femoral artery (simian)
Vasopressin V_1 receptors; Vasopressin V_2 receptors; (Cannula insertion method) (Chiba, S. (221) 393)

Footshock
Epinephrine; Glucose; Memory; Propranolol; Phenoxybenzamine (Hall, J.L. (221) 365)

Free radical
Baicalein; Ear edema; Lipid peroxidation; α-Tocopherol (Hara, H. (221) 193)

Fura-2
Tetronothiodin; CCK_B receptor antagonists; GH3 cells; Ca^{2+} (cytosolic); [^{125}I]CCK-8 binding (Kuwahara, T. (221) 99)

GABA (γ-aminobutyric acid)
Epilepsy; 5-HT (5-hydroxytryptamine, serotonin); Acetylcholine; Cl^- transport; Brain; (Mouse) (Inoue, M. (221) 135)

Bicuculline; Diazepam; Lithium chloride; Pilocarpine; Seizures (Peterson, C.J. (221) 151)

GABA (γ-aminobutyric acid) shift
Dihydroergotoxine; [^{3}H]TBOB (t-[^{3}H]butylbicycloorthobenzoate) binding; Barbiturate sleeping; Picrotoxin-induced convulsions (Tvrdeić, A. (221) 139)

Gastric fundus (rat)
VIP (vasoactive intestinal polypeptide); Nitric oxide (NO); Cholinergic neurotransmission (Lefebvre, R.A. (221) 235)

GH3 cells
Tetronothiodin; CCK_B receptor antagonists; Ca^{2+} (cytosolic); Fura-2; [^{125}I]CCK-8 binding (Kuwahara, T. (221) 99)

Glucose
Epinephrine; Memory; Propranolol; Phenoxybenzamine; Footshock (Hall, J.L. (221) 365)

Glutamate receptors
Kainate; Barbiturates; Methohexitone; Epileptiform activity (Palmer, A.J. (221) 205)

Glycine
Aging; D-Cycloserine; Memory; NMDA receptors; Senescence; (Mouse) (Flood, J.F. (221) 249)

Chromaffin cells; Epinephrine; Norepinephrine; Acetylcholine (Yadid, G. (221) 389)

cGMP
Morphine; Carbachol; Analgesia; Nitric oxide (NO) (Duarte, I.D.G. (221) 171)

Gonadotrophin
Inhibin; Oestradiol-17β; Indomethacin; Prostaglandin $F_{2\alpha}$; PMSG-primed immature rat; Ovary (Kogo, H. (221) 289)

Guanfacine
α_2-Adrenoceptors; Atipamezole; Mydriasis; Neocortical high-voltage spindles; (Rat); (Subchronic treatment) (Jäkälä, P. (221) 351)

Handling-induced convulsions
Withdrawal seizure prone mouse (WSP); Ethanol withdrawal; Abecarnil; Diazepam; Anticonvulsant effects; β-Carbolines; (Genetic animal model) (Crabbe, J.C. (221) 85)

Hippocampal pyramidal cells
Metabotropic glutamate receptors; 1S,3R-trans-ACPD (Gerber, U. (221) 401)

Hippocampus
Hypoxia/hypoglycemia; Cholinergic drugs; 2-Deoxyglucose uptake; CA1 field potentials; (In vitro) (Shibata, S. (221) 113)

Catecholamines; Hypoxia/hypoglycemia; 2-Deoxyglucose; Ischemia; CA1 field potential; (In vitro) (Shibata, S. (221) 255)

Histamine
Trachea (guinea-pig); Acetylcholine; 5-HT (5-hydroxytryptamine, serotonin); Amiloride; Ouabain; K^+-free solution (Cortijo, J. (221) 43)

Endothelial cells; Histamine H_1 receptors; Actin filaments; Peripheral bands; Permeability (Niimi, N. (221) 325)

Histamine receptor agonists (H_1- and H_2-selective)
Histamine receptor subtypes; Impromidine; Smooth muscle (arteriolar); Submucosal plexus (guinea-pig); Adrenoceptors; Videomicroscopy; Vas deferens (rat); (Spontaneous activity) (Bungardt, E. (221) 91)

Histamine H_1 receptors
Endothelial cells; Histamine; Actin filaments; Peripheral bands; Permeability (Niimi, N. (221) 325)

Histamine receptor subtypes
Histamine receptor agonists (H_1- and H_2-selective); Impromidine; Smooth muscle (arteriolar); Submucosal plexus (guinea-pig); Adrenoceptors; Videomicroscopy; Vas deferens (rat); (Spontaneous activity) (Bungardt, E. (221) 91)

5-HT (5-hydroxytryptamine, serotonin)
Basilar artery (rat); Myograph; 5-HT receptor classification; Ketanserin; Ergometrine (Deckert, V. (221) 17)

ACTH release; Tricyclic antidepressants; Lithium; Electroconvulsive shock (Gartside, S.E. (221) 27)

Trachea (guinea-pig); Acetylcholine; Histamine; Amiloride; Ouabain; K^+-free solution (Cortijo, J. (221) 43)

Cocaine; ACTH (adrenocorticotropic hormone); Prolactin; Oxytocin; Renin (Levy, A.D. (221) 121)

Epilepsy; GABA (γ-aminobutyric acid); Acetylcholine; Cl^- transport; Brain; (Mouse) (Inoue, M. (221) 135)

Vagus nerve; 5-HT_3 receptors; Emesis; (Ferret) (Newberry, N.R. (221) 157)

Placental vein (human); Na^+,K^+-ATPase, $^{86}Rb^+$ uptake (Fernández-Alfonso, M.S. (221) 185)

Amphetamines; Dopamine; MDMA (3,4-methylenedioxymethamphetamine); Norepinephrine; Neurotoxicity (Elayan, I. (221) 281)

5-HT_3 receptor agonists
5-HT receptors; 5-HT_3 receptor antagonists; Cisplatin; Emesis; (Pigeon) (Preziosi, P. (221) 343)

5-HT_3 receptor antagonists
5-HT receptors; 5-HT_3 receptor agonists; Cisplatin; Emesis; (Pigeon) (Preziosi, P. (221) 343)

5-HT receptor classification
Basilar artery (rat); Myograph; 5-HT (5-hydroxytryptamine, serotonin); Ketanserin; Ergometrine (Deckert, V. (221) 17)

5-HT receptors
5-HT_3 receptor antagonists; 5-HT_3 receptor agonists; Cisplatin; Emesis; (Pigeon) (Preziosi, P. (221) 343)

5-HT_{1A} receptors
Clozapine; Antipsychotic drugs (Mason, S.L. (221) 397)

5-HT_3 receptors
Vagus nerve; 5-HT (5-hydroxytryptamine, serotonin); Emesis; (Ferret) (Newberry, N.R. (221) 157)

2-Hydroxysaclofen
β-(2-Thienyl)-GABA; Baclofen; Ileum (guinea-pig, isolated); Neocortical slices (rat) (Ong, J. (221) 145)

Hypoxia/hypoglycemia
Cholinergic drugs; 2-Deoxyglucose uptake; Hippocampus; CA1 field potentials; (In vitro) (Shibata, S. (221) 113)

Catecholamines; 2-Deoxyglucose; Ischemia; CA1 field potential; Hippocampus; (In vitro) (Shibata, S. (221) 255)

Ileum (guinea-pig, isolated)
β-(2-Thienyl)-GABA; Baclofen; Neocortical slices (rat); 2-Hydroxysaclofen (Ong, J. (221) 145)

Impromidine
Histamine receptor subtypes; Histamine receptor agonists (H_1- and H_2-selective); Smooth muscle (arteriolar); Submucosal plexus (guinea-pig); Adrenoceptors; Videomicroscopy; Vas deferens (rat); (Spontaneous activity) (Bungardt, E. (221) 91)

Indomethacin
Inhibin; Oestradiol-17β; Gonadotrophin; Prostaglandin $F_{2\alpha}$; PMSG-primed immature rat; Ovary (Kogo, H. (221) 289)

Inhibin
Oestradiol-17β; Indomethacin; Gonadotrophin; Prostaglandin $F_{2\alpha}$; PMSG-primed immature rat; Ovary (Kogo, H. (221) 289)

Insulin secretion
Benzodiazepines; Benzodiazepine receptor agonists (peripheral-type) (Petit, P. (221) 359)

Interferon inducer
Poly(rG)·Poly(rC); Poly(rI)·Poly(rC); Antitumour activity; Liver colony assay; Survival (Jurásková, V. (221) 107)

Inverse agonists
Benzodiazepine receptors; Locomotor activity; Exploratory behaviour (Jackson, H.C. (221) 199)

Ipsapirone
Tandospirone; Buspirone; Azapirones; Chlordiazepoxide; Anxiolytics; Conflict; Punishment; Cork gnawing; (Pigeon); (Rat) (Pollard, G.T. (221) 297)

Ischemia
Catecholamines; Hypoxia/hypoglycemia; 2-Deoxyglucose; CA1 field potential; Hippocampus; (In vitro) (Shibata, S. (221) 255)

Ischemic acute renal failure
Endothelin; Endothelin receptor antagonists; Ca^{2+}; (Rat) (Mino, N. (221) 77)

Kainate
Glutamate receptors; Barbiturates; Methohexitone; Epileptiform activity (Palmer, A.J. (221) 205)

Ketanserin
Basilar artery (rat); Myograph; 5-HT (5-hydroxytryptamine, serotonin); 5-HT receptor classification; Ergometrine (Deckert, V. (221) 17)

K^+-free solution
Trachea (guinea-pig); Acetylcholine; Histamine; 5-HT (5-hydroxytryptamine, serotonin); Amiloride; Ouabain (Cortijo, J. (221) 43)

Kidney (isolated, perfused)
Doppler shift technique; Renal vascular resistance; Metalloproteases; Phosphoramidon; (Rat) (Salvati, P. (221) 267)

K^+-stimulated Ca^{2+}-independent efflux of [^{3}H]acetylcholine
Phrenic nerve; Cholinesterase inhibition; Vesamicol; Acetylcholine carrier (Wessler, I. (221) 371)

Lipid peroxidation
Baicalein; Ear edema; Free radical; α-Tocopherol (Hara, H. (221) 193)

Lithium
5-HT (5-hydroxytryptamine, serotonin); ACTH release; Tricyclic antidepressants; Electroconvulsive shock (Gartside, S.E. (221) 27)

Lithium chloride
GABA (γ-aminobutyric acid); Bicuculline; Diazepam; Pilocarpine; Seizures (Peterson, C.J. (221) 151)

Liver colony assay
Poly(rG)·Poly(rC); Poly(rI)·Poly(rC); Interferon inducer; Antitumour activity; Survival (Jurásková, V. (221) 107)

Locomotor activity
Naloxone infusion (continuous); D-amphetamine; Opioids; Dopamine (Rat) (Jones, D.N.C. (221) 161)

Benzodiazepine receptors; Exploratory behaviour; Inverse agonists (Jackson, H.C. (221) 199)

Locus coeruleus
Norepinephrine; Desipramine; Amphetamine; Dorsal hippocampus (Curet, O. (221) 59)

Mammary artery (internal)
Adenosine receptors; CGS 21680; CGS 22492; Smooth muscle (vascular); Coronary artery (human) (Makujina, S.R. (221) 243)

MDMA (3,4-methylenedioxymethamphetamine)
Amphetamines; Dopamine; Norepinephrine; 5-HT (5-hydroxytryptamine, serotonin); Neurotoxicity (Elayan, I. (221) 281)

Membrane potential
Na^+ pump; Na^+/K^+ pump; Colonic motility; Smooth muscle (Barajas-López, C. (221) 51)

Memory
Aging; D-Cycloserine; Glycine; NMDA receptors; Senescence; (Mouse) (Flood, J.F. (221) 249)

Epinephrine; Glucose; Propranolol; Phenoxybenzamine; Footshock (Hall, J.L. (221) 365)

Metabotropic glutamate receptors
1S,3R-trans-ACPD; Hippocampal pyramidal cells (Gerber, U. (221) 401)

Metalloproteases
Doppler shift technique; Kidney (isolated, perfused); Renal vascular resistance; Phosphoramidon; (Rat) (Salvati, P. (221) 267)

Methohexitone
Glutamate receptors; Kainate; Barbiturates; Epileptiform activity (Palmer, A.J. (221) 205)

Methysergide
Micturition; Phentolamine; Prazosin; (Cat) (Espey, M.J. (221) 167)

Microdialysis
Ethanol; Morphine; Cocaine; Amphetamine; MK-801; SL 82.0715; Abstinence syndrome (Rossetti, Z.L. (221) 227)

Micturition
Methysergide; Phentolamine; Prazosin; (Cat) (Espey, M.J. (221) 167)

MK-801
Ethanol; Morphine; Cocaine; Amphetamine; SL 82.0715; Microdialysis; Abstinence syndrome (Rossetti, Z.L. (221) 227)

Mononuclear cells
Curcumin; Antiproliferative effect; Smooth muscle cells (Huang, H.-C. (221) 381)

Morphine
Carbachol; Analgesia; Nitric oxide (NO); cGMP (Duarte, I.D.G. (221) 171)

Supersensitivity; Opioid receptor regulation; Naltrexone; d-Amphetamine; Analgesia; Upregulation (Duttaroy, A. (221) 211)

Cholecystokinin (CCK); EEG power spectra (Hudson, G.M. (221) 217)

Dynorphin A-(1–13); Opiate withdrawal; Opiate tolerance (Takemori, A.E. (221) 223)

Ethanol; Cocaine; Amphetamine; MK-801; SL 82.0715; Microdialysis; Abstinence syndrome (Rossetti, Z.L. (221) 227)

Mydriasis
α_2-Adrenoceptors; Atipamezole; Guanfacine; Neocortical high-voltage spindles; (Rat); (Subchronic treatment) (Jäkälä, P. (221) 351)

Myograph
Basilar artery (rat); 5-HT (5-hydroxytryptamine, serotonin); 5-HT receptor classification; Ketanserin; Ergometrine (Deckert, V. (221) 17)

D-Myo-inositol-1,2,6-trisphosphate
Neuropeptide Y; Vagal stimulation; (Sympathetic) (Potter, E.K. (221) 307)

Na^+ channels
Amitriptyline; Dopamine; Amino acids; Veratridine; Striatal slices (Ishii, Y. (221) 377)

Na^+,K^+-ATPase, $^{86}Rb^+$ uptake
Placental vein (human); 5-HT (5-hydroxytryptamine, serotonin) (Fernández-Alfonso, M.S. (221) 185)

Na^+/K^+ pump
Na^+ pump; Colonic motility; Membrane potential; Smooth muscle (Barajas-López, C. (221) 51)

Naloxone infusion (continuous)
D-amphetamine; Locomotor activity; Opioids; Dopamine (Rat) (Jones, D.N.C. (221) 161)

Naltrexone
Supersensitivity; Morphine; Opioid receptor regulation; d-Amphetamine; Analgesia; Upregulation (Duttaroy, A. (221) 211)

NANC nerves
Nitric oxide (NO); Neurogenic inflammation; Plasma exudation; Vagus nerve; Airways (Kuo, H.-P. (221) 385)

Na^+ pump
Na^+/K^+ pump; Colonic motility; Membrane potential; Smooth muscle (Barajas-López, C. (221) 51)

Nedocromil sodium
Vagus nerve; Cl^- channels; DIDS (4,4'-diisothiocyanostilbene-2,2'-disulphonic acid) (Jackson, D.M. (221) 175)

Neocortical high-voltage spindles
α_2-Adrenoceptors; Atipamezole; Guanfacine; Mydriasis; (Rat); (Subchronic treatment) (Jäkälä, P. (221) 351)

Neocortical slices (rat)
β-(2-Thienyl)-GABA; Baclofen; Ileum (guinea-pig, isolated); 2-Hydroxysaclofen (Ong, J. (221) 145)

Neurogenic inflammation
Nitric oxide (NO); NANC nerves; Plasma exudation; Vagus nerve; Airways (Kuo, H.-P. (221) 385)

Neuropeptide Y
Vagal stimulation; D-Myo-inositol-1,2,6-trisphosphate; (Sympathetic) (Potter, E.K. (221) 307)

Neuropeptide Y (NPY)
NPY receptor subtypes; Acetylcholine; Endothelium; Vasoconstriction; Vasodilatation (Grundemar, L. (221) 71)

Neurotoxicity
Amphetamines; Dopamine; MDMA (3,4-methylenedioxymethamphetamine); Norepinephrine; 5-HT (5-hydroxytryptamine, serotonin) (Elayan, I. (221) 281)

Nifedipine
Aorta (rat); Endothelium; BAY k 8644 enantiomers; $^{45}Ca^{2+}$ influx (Gil-Longo, J. (221) 1)

Nitric oxide (NO)
Morphine; Carbachol; Analgesia; cGMP (Duarte, I.D.G. (221) 171)

S-Nitrosothiols; Excitatory amino acid; Baroreceptor reflex; Cardiovascular regulation; EDRF (endothelium-derived relaxing factor) (Machado, B.H. (221) 179)

Gastric fundus (rat); VIP (vasoactive intestinal polypeptide); Cholinergic neurotransmission (Lefebvre, R.A. (221) 235)

Neurogenic inflammation; NANC nerves; Plasma exudation; Vagus nerve; Airways (Kuo, H.-P. (221) 385)

NMDA receptor antagonists; NO synthase (Kolesnikov, Y.A. (221) 399)

S-Nitrosothiols
Excitatory amino acid; Baroreceptor reflex; Cardiovascular regulation; EDRF (endothelium-derived relaxing factor); Nitric oxide (NO) (Machado, B.H. (221) 179)

NMDA receptor antagonists
Nitric oxide (NO); NO synthase (Kolesnikov, Y.A. (221) 399)

NMDA receptors
Aging; D-Cycloserine; Glycine; Memory; Senescence; (Mouse) (Flood, J.F. (221) 249)

4-Aminopyridine; Convulsions; Wet-dog shakes (Fragoso-Veloz, J. (221) 275)

Norepinephrine
Desipramine; Amphetamine; Dorsal hippocampus; Locus coeruleus (Curet, O. (221) 59)

Amphetamines; Dopamine; MDMA (3,4-methylenedioxymethamphetamine); 5-HT (5-hydroxytryptamine, serotonin); Neurotoxicity (Elayan, I. (221) 281)

Chromaffin cells; Epinephrine; Acetylcholine; Glycine (Yadid, G. (221) 389)

NO synthase
NMDA receptor antagonists; Nitric oxide (NO) (Kolesnikov, Y.A. (221) 399)

NPY receptor subtypes
Neuropeptide Y (NPY); Acetylcholine; Endothelium; Vasoconstriction; Vasodilatation (Grundemar, L. (221) 71)

Oestradiol-17β
Inhibin; Indomethacin; Gonadotrophin; Prostaglandin $F_{2\alpha}$; PMSG-primed immature rat; Ovary (Kogo, H. (221) 289)

Opiate tolerance
Dynorphin A-(1–13); Opiate withdrawal; Morphine (Takemori, A.E. (221) 223)

Opiate withdrawal
Dynorphin A-(1–13); Opiate tolerance; Morphine (Takemori, A.E. (221) 223)

Opioid receptor regulation
Supersensitivity; Morphine; Naltrexone; d-Amphetamine; Analgesia; Upregulation (Duttaroy, A. (221) 211)

Opioids
Naloxone infusion (continuous); D-amphetamine; Locomotor activity; Dopamine (Rat) (Jones, D.N.C. (221) 161)

Ouabain
Trachea (guinea-pig); Acetylcholine; Histamine; 5-HT (5-hydroxytryptamine, serotonin); Amiloride; K^+-free solution (Cortijo, J. (221) 43)

Ovary
Inhibin; Oestradiol-17β; Indomethacin; Gonadotrophin; Prostaglandin $F_{2\alpha}$; PMSG-primed immature rat (Kogo, H. (221) 289)

Oxytocin
Cocaine; 5-HT (5-hydroxytryptamine, serotonin); ACTH (adrenocorticotropic hormone); Prolactin; Renin (Levy, A.D. (221) 121)

Peripheral bands
Endothelial cells; Histamine; Histamine H_1 receptors; Actin filaments; Permeability (Niimi, N. (221) 325)

Permeability
Endothelial cells; Histamine; Histamine H_1 receptors; Actin filaments; Peripheral bands (Niimi, N. (221) 325)

Phenoxybenzamine
Epinephrine; Glucose; Memory; Propranolol; Footshock (Hall, J.L. (221) 365)

Phentolamine
Micturition; Methysergide; Prazosin; (Cat) (Espey, M.J. (221) 167)

Phosphoramidon
Doppler shift technique; Kidney (isolated, perfused); Renal vascular resistance; Metalloproteases; (Rat) (Salvati, P. (221) 267)

Phrenic nerve
K^+-stimulated Ca^{2+}-independent efflux of [^{3}H]acetylcholine; Cholinesterase inhibition; Vesamicol; Acetylcholine carrier (Wessler, I. (221) 371)

Picrotoxin-induced convulsions
Dihydroergotoxine; [^{3}H]TBOB (t-[^{3}H]butylbicycloorthobenzoate) binding; GABA (γ-aminobutyric acid) shift; Barbiturate sleeping (Tvrdeić, A. (221) 139)

Pilocarpine
GABA (γ-aminobutyric acid); Bicuculline; Diazepam; Lithium chloride; Seizures (Peterson, C.J. (221) 151)

Placental vein (human)
5-HT (5-hydroxytryptamine, serotonin); Na^+,K^+-ATPase, $^{86}Rb^+$ uptake (Fernández-Alfonso, M.S. (221) 185)

Plasma exudation
Nitric oxide (NO); Neurogenic inflammation; NANC nerves; Vagus nerve; Airways (Kuo, H.-P. (221) 385)

PMSG-primed immature rat
Inhibin; Oestradiol-17β; Indomethacin; Gonadotrophin; Prostaglandin $F_{2\alpha}$; Ovary (Kogo, H. (221) 289)

Poly(rG)·Poly(rC)
Poly(rI)·Poly(rC); Interferon inducer; Antitumour activity; Liver colony assay; Survival (Jurásková, V. (221) 107)

Poly(rI)·Poly(rC)
Poly(rG)·Poly(rC); Interferon inducer; Antitumour activity; Liver colony assay; Survival (Jurásková, V. (221) 107)

Prazosin
Micturition; Methysergide; Phentolamine; (Cat) (Espey, M.J. (221) 167)

Prolactin
Cocaine; 5-HT (5-hydroxytryptamine, serotonin); ACTH (adrenocorticotropic hormone); Oxytocin; Renin (Levy, A.D. (221) 121)

Propranolol
Epinephrine; Glucose; Memory; Phenoxybenzamine; Footshock (Hall, J.L. (221) 365)

Prostaglandin $F_{2\alpha}$
Inhibin; Oestradiol-17β; Indomethacin; Gonadotrophin; PMSG-primed immature rat; Ovary (Kogo, H. (221) 289)

Punishment
Tandospirone; Buspirone; Ipsapirone; Azapirones; Chlordiazepoxide; Anxiolytics; Conflict; Cork gnawing; (Pigeon); (Rat) (Pollard, G.T. (221) 297)

Regional haemodynamics
Endothelin-1; BQ-123; Endothelin receptor subtypes; Vasodilatation; (Anaesthetized rat) (Douglas, S.A. (221) 315)

Renal vascular resistance
Doppler shift technique; Kidney (isolated, perfused); Metalloproteases; Phosphoramidon; (Rat) (Salvati, P. (221) 267)

Renin
Cocaine; 5-HT (5-hydroxytryptamine, serotonin); ACTH (adrenocorticotropic hormone); Prolactin; Oxytocin (Levy, A.D. (221) 121)

Seizures
GABA (γ-aminobutyric acid); Bicuculline; Diazepam; Lithium chloride; Pilocarpine (Peterson, C.J. (221) 151)

Senescence
Aging; D-Cycloserine; Glycine; Memory; NMDA receptors; (Mouse) (Flood, J.F. (221) 249)

SL 82.0715
Ethanol; Morphine; Cocaine; Amphetamine; MK-801; Microdialysis; Abstinence syndrome (Rossetti, Z.L. (221) 227)

Smooth muscle
Na^+ pump; Na^+/K^+ pump; Colonic motility; Membrane potential (Barajas-López, C. (221) 51)

Smooth muscle (arteriolar)
Histamine receptor subtypes; Histamine receptor agonists (H_1- and H_2-selective); Impromidine; Submucosal plexus (guinea-pig); Adrenoceptors; Videomicroscopy; Vas deferens (rat); (Spontaneous activity) (Bungardt, E. (221) 91)

Smooth muscle cells
Curcumin; Antiproliferative effect; Mononuclear cells (Huang, H.-C. (221) 381)

Smooth muscle (uterus)
Ca^{2+} levels (cytosolic); Ca^{2+} channels; Endothelins; (Rat) (Sakata, K. (221) 9)

Smooth muscle (vascular)
Adenosine receptors; CGS 21680; CGS 22492; Coronary artery (human); Mammary artery (internal) (Makujina, S.R. (221) 243)

1S,3R-trans-ACPD
Metabotropic glutamate receptors; Hippocampal pyramidal cells (Gerber, U. (221) 401)

Striatal slices
Amitriptyline; Na^+ channels; Dopamine; Amino acids; Veratridine (Ishii, Y. (221) 377)

Submucosal plexus (guinea-pig)
Histamine receptor subtypes; Histamine receptor agonists (H_1- and H_2-selective); Impromidine; Smooth muscle (arteriolar); Adrenoceptors; Videomicroscopy; Vas deferens (rat); (Spontaneous activity) (Bungardt, E. (221) 91)

Supersensitivity
Morphine; Opioid receptor regulation; Naltrexone; d-Amphetamine; Analgesia; Upregulation (Duttaroy, A. (221) 211)

Survival
Poly(rG)·Poly(rC); Poly(rI)·Poly(rC); Interferon inducer; Antitumour activity; Liver colony assay (Jurásková, V. (221) 107)

Tandospirone
Buspirone; Ipsapirone; Azapirones; Chlordiazepoxide; Anxiolytics; Conflict; Punishment; Cork gnawing; (Pigeon); (Rat) (Pollard, G.T. (221) 297)

[^{3}H]TBOB (t-[^{3}H]butylbicycloorthobenzoate) binding
Dihydroergotoxine; GABA (γ-aminobutyric acid) shift; Barbiturate sleeping; Picrotoxin-induced convulsions (Tvrdeić, A. (221) 139)

Tetronothiodin
CCK_B receptor antagonists; GH3 cells; Ca^{2+} (cytosolic); Fura-2; [^{125}I]CCK-8 binding (Kuwahara, T. (221) 99)

β-(2-Thienyl)-GABA
Baclofen; Ileum (guinea-pig, isolated); Neocortical slices (rat); 2-Hydroxysaclofen (Ong, J. (221) 145)

Thoracic aorta
α_1-Adrenoceptors; (Single cell) (Satoh, M. (221) 35)

α-Tocopherol
Baicalein; Ear edema; Free radical; Lipid peroxidation (Hara, H. (221) 193)

Trachea (guinea-pig)
Acetylcholine; Histamine; 5-HT (5-hydroxytryptamine, serotonin); Amiloride; Ouabain; K^+-free solution (Cortijo, J. (221) 43)

Tricyclic antidepressants
5-HT (5-hydroxytryptamine, serotonin); ACTH release; Lithium; Electroconvulsive shock (Gartside, S.E. (221) 27)

Upregulation
Supersensitivity; Morphine; Opioid receptor regulation; Naltrexone; d-Amphetamine; Analgesia (Duttaroy, A. (221) 211)

Vagal stimulation
Neuropeptide Y; D-Myo-inositol-1,2,6-trisphosphate; (Sympathetic) (Potter, E.K. (221) 307)

Vagus nerve
5-HT (5-hydroxytryptamine, serotonin); 5-HT_3 receptors; Emesis; (Ferret) (Newberry, N.R. (221) 157)

Nedocromil sodium; Cl^- channels; DIDS (4,4′-diisothiocyanostilbene-2,2′-disulphonic acid) (Jackson, D.M. (221) 175)

Nitric oxide (NO); Neurogenic inflammation; NANC nerves; Plasma exudation; Airways (Kuo, H.-P. (221) 385)

Vas deferens (rat)
Histamine receptor subtypes; Histamine receptor agonists (H_1- and H_2-selective); Impromidine; Smooth muscle (arteriolar); Submucosal plexus (guinea-pig); Adrenoceptors; Videomicroscopy; (Spontaneous activity) (Bungardt, E. (221) 91)

Vasoconstriction
Neuropeptide Y (NPY); NPY receptor subtypes; Acetylcholine; Endothelium; Vasodilatation (Grundemar, L. (221) 71)

Vasodilatation
Neuropeptide Y (NPY); NPY receptor subtypes; Acetylcholine; Endothelium; Vasoconstriction (Grundemar, L. (221) 71)

Endothelin-1; BQ-123; Endothelin receptor subtypes; Regional haemodynamics; (Anaesthetized rat) (Douglas, S.A. (221) 315)

Vasopressin V_1 receptors
Femoral artery (simian); Vasopressin V_2 receptors; (Cannula insertion method) (Chiba, S. (221) 393)

Vasopressin V_2 receptors
Femoral artery (simian); Vasopressin V_1 receptors; (Cannula insertion method) (Chiba, S. (221) 393)

Veratridine
Amitriptyline; Na^+ channels; Dopamine; Amino acids; Striatal slices (Ishii, Y. (221) 377)

Vesamicol
Phrenic nerve; K^+-stimulated Ca^{2+}-independent efflux of [^{3}H]-acetylcholine; Cholinesterase inhibition; Acetylcholine carrier (Wessler, I. (221) 371)

Videomicroscopy
Histamine receptor subtypes; Histamine receptor agonists (H_1- and H_2-selective); Impromidine; Smooth muscle (arteriolar); Submucosal plexus (guinea-pig); Adrenoceptors; Vas deferens (rat); (Spontaneous activity) (Bungardt, E. (221) 91)

VIP (vasoactive intestinal polypeptide)
Gastric fundus (rat); Nitric oxide (NO); Cholinergic neurotransmission (Lefebvre, R.A. (221) 235)

Wet-dog shakes
4-Aminopyridine; NMDA receptors; Convulsions (Fragoso-Veloz, J. (221) 275)

Withdrawal seizure prone mouse (WSP)
Ethanol withdrawal; Handling-induced convulsions; Abecarnil; Diazepam; Anticonvulsant effects; β-Carbolines; (Genetic animal model) (Crabbe, J.C. (221) 85)

Withdrawal syndrome
Dopamine neurons; Ethanol (Diana, M. (221) 403)